

404™ QUICK SET™ INDUSTRIAL ADHESIVE

- A general purpose adhesive for general maintenance and repair
- Excellent for rubber bonding
- Ideal for gap distances up to 0.005"
- Fixtures in 30 seconds, full in 24 hrs.
- Provides a shear strength of 3500 PSI
- Withstands temperatures to 180°F
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA550	135465	1/3 oz. bottle	
AC325	234044	4 oz. bottle	

403™ PRISM® INSTANT ADHESIVE

- Low-odour, low blooming, surface-insensitive
- Faster fixture speeds on plastics and metals
- Perfect for gap filling
- Cure speed: Fixture 50 sec, full 24 hrs.
- Viscosity: 1000 cP
- Temperature range: -65°F to 160°F (-54°C to 71°C)
- Shear strength: 2600 PSI
- Colour: Clear
- Improved formula



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD429	135433	20 g Bottle	
AD430	233675	454 g Bottle	

414™ SUPER BONDER® INSTANT ADHESIVE

- General purpose cyanoacrylate plastic bonder
- Mil Spec: Mil-A-46050C Type II Class II
- Commercial Item Description A-A-3097: Type II Class II
- Typical use: Plastic bonder
- Gap Fill: 0.006"
- Viscosity: 11 cP
- Shear Strength: 3200 PSI
- Temperature Range: -65°F (-54°C) to 180°F (82°C)
- Cure Speed: Fixture - 20 secs; Full - 24 hrs.
- Colour: Clear



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AA654	233780	3 g Tube	
AA655	233801	1 oz. Bottle	
AA656	233803	1 lb. Bottle	

7387 ACTIVATORS

- Designed to initiate the cure of Loctite toughened acrylic adhesives such as Loctite 315™, 383™ and 384™



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD140	135276	1.75 oz.	
MLN387	229848	32 oz.	

7452™ TAK PAK ACCELERATOR

- Aggressive cleaning properties, promote the cure speed of all Loctite® Cyanoacrylate Adhesives
- < 30 second dry time
- 1 minute on-part life
- Colour: clear/amber
- Spray-cap bottle



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AC360	229769	1.75 fl. oz.	
AH100	2765220	946 ml	
AF081	135269	1 gal. can	

7387™ HEPTANE/ ISOPROPYL ALCOHOL ACTIVATORS

- Used to initiate the cure of toughened acrylic adhesives
- Primer for Loctite 330™, 331™ and 332™



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF099	209714	4.5 oz.	

770™ PRIMER

- An adhesion promoter formulated for use with polyolefins and other low energy surfaces
- Use with Loctite® Cyanoacrylate Adhesives
- 30-second dry time
- 8-hour on-part life
- Colourless



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AD978	229731	16 fl. oz.	

HY 4090 GY™ STRUCTURAL REPAIR HYBRID ADHESIVE

- Ideal for use on variety of substrates including most plastics and rubbers
- Fast fixture time helps reduce production time and work-in-process
- Non-flammable
- Non-corrosive
- Container Type: Dual Cartridge
- Colour: Grey
- Type: Two-Part
- Application Time: 5 min.
- Temperature resistance: 150 °C
- Full Cure Time: 24 hrs.



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF369	2205827	50 g	

HY 4070™ STRUCTURAL REPAIR HYBRID ADHESIVE

- Ideal for use on many materials such as metal, plastic, rubber, wood, paper, and leather
- Provides fast fixture time even at low temperatures
- Ready-to-use syringe package with nozzle for more convenience
- Colour: Off-White
- Application Time: 4 min.
- Temperature resistance: 120 °C
- Full Cure Time: 24 hrs.



LOCTITE

Model No.	Mfg. No.	Size	Price /Each
AF362	2264448	11 g	